




FIAT TRACTOR PUMPS


	OEM Number 570140 Hidros number	Alternative Numbers 5132792	Working volume Flange Shaft type Rotation	Ports Port Sizes Inlet: Pressure: Flange mount holes Inlet: Pressure:
<u>Tractor Type</u>	Serie: Classique : 400, 400DT, 450, 450DT, 480, 480DT, 500, 500DT			
	OEM Number 569307 Hidros number	Alternative Numbers 1901336 1930056 1901316 1930044 5120971 76062717 9967930	Working volume Flange Shaft type Rotation	Ports Port Sizes Inlet: Pressure: Flange mount holes Inlet: Pressure:
<u>Tractor Type</u>	Serie: Classique : 200R, 215C, 250, 250DT, 300, 300DT, 300J			
	OEM Number 5179732 Hidros number	Alternative Numbers 569309 1901319 5120462 5130127 1930052 Alternative Manufacturer 0510425324	Working volume Flange 36.5 mm – 4 bolt Shaft type 1:8 taper Rotation	Ports Plessey/Italian diamond Port Sizes Inlet: 13.1 mm Pressure: 13.1 mm Flange mount holes Inlet: 30.2 mm Pressure: 30.2 mm
<u>Tractor Type</u>	Serie: 66 35-66, 35-66DT, 60-66FDT, 70-66FDT, 70-66V, 80-66FDT Serie: 76 60-76FDT, 80-76FDT Serie: Classique 312, 312R, 315, 400, 400DT, 415, 450, 450DT, 480, 480DT, 500, 500DT, 540, 540DT, 540S, 550 Serie: Someca SOM715			


Original equipment manufacturers name and part number are quoted for reference purposes only and are not intended to infer that our replacement parts are used as original equipment.




FIAT


	<p>OEM Number 5179724</p> <p>Hidros number</p>	<p>Alternative Numbers</p> <p>1901320 5120971 5130133 568162</p> <p>Alternative Manufacturer 0510425032</p>	<p>Working volume</p> <p>Flange 36.5 mm – 4 bolt</p> <p>Shaft type 1:8 taper</p> <p>Rotation</p>	<p>Ports Plessey/Italian diamond</p> <p>Port Sizes Inlet: 13.1 mm Pressure: 13.1 mm</p> <p>Flange mount holes Inlet: 30.2 mm Pressure: 30.2 mm</p>
<p><u>Tractor Type</u></p>	<p>Serie: 66 45-66, 45-66DT, 45-66V Serie: Classique 1000, 1000 Sup, 1000DT, 1000N, 1000S, 1300, 1300DT, 1300S, 1300SDT, 400, 400DT, 411, 411R, 415, 415DT, 420, 420DT, 550, 570, 580, 600, 640, 650, 670, 680, 750, 780, 850, 880 Serie: Someca SOM35</p>			

	<p>OEM Number 5179730</p> <p>Hidros number</p>	<p>Alternative Numbers</p> <p>569306 / 5129478 1901323 / 1901321 5088381 / 1930046 5120406 / 1930058 8280040 / 5179730</p> <p>Alternative Manufacturer 0510525357</p>	<p>Working volume</p> <p>Flange 36.5 mm – 4 bolt</p> <p>Shaft type 1:8 taper</p> <p>Rotation</p>	<p>Ports Plessey/Italian diamond</p> <p>Port Sizes Inlet: 19 mm Pressure: 14.2 mm</p> <p>Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm</p>
<p><u>Tractor Type</u></p>	<p>Serie: Classique 550, 570, 580, 600, 640, 650, 670, 680, 750, 780, 880, 980 Serie: Someca SOM612, SOM615, SOM715</p>			


	<p>OEM Number 5179722</p> <p>Hidros number</p>	<p>Alternative Numbers</p> <p>1930061 / 1930049 1901322 / 5121076 5085685 / 8273385 5129481</p> <p>Alternative Manufacturer 0510525046</p>	<p>Working volume</p> <p>Flange 36.5 mm – 4 bolt</p> <p>Shaft type 1:8 taper</p> <p>Rotation</p>	<p>Ports Plessey/Italian diamond</p> <p>Port Sizes Inlet: 19 mm Pressure: 14.2 mm</p> <p>Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm</p>
<p><u>Tractor Type</u></p>	<p>Serie: 66 60-66, 60-66DT, 70-66, 70-66DT, 70-66F, 70-66LP Serie: Classique 350, 350DT, 400, 400DT, 450, 450DT, 466, 466DT, 480, 480DT, 500, 500DT, 540, 540DT, 540S, 566, 666, 766, 980</p>			





	<p>OEM Number 5179719</p> <p>Hidros number</p>	<p>Alternative Numbers 5086286 / 245293100 5094391 / 9967928 5129483 / 1901324 5169772 / 1930055 1930068 / 5086286 5120277 / 5120849 5129483 / 5169772 8282339 / 8280127</p> <p>Alternative Manufacturer 0510625318 ,0510525348</p>	<p>Working volume</p> <p>Flange 36.5 mm – 4 bolt</p> <p>Shaft type 1:8 taper</p> <p>Rotation</p>	<p>Ports Plessey/Italian diamond</p> <p>Port Sizes Inlet: 19 mm Pressure: 14.2 mm</p> <p>Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm</p>
<p>Tractor Type</p>	<p>Serie: 55 100-55, 95-55 Serie: 56 55-56, 55-56DT, 60-56, 60-56DT, 65-56, 65-56DT Serie: 65 55-65F, 55-65M, 55-65V, 60-65, 60-65M, 60-65V, 80-65 Serie: 66 45-66, 45-66DT, 45-66S, 45-66SDT, 45-66V, 50-66, 50-66DT, 50-66S, 55-66, 55-66DT, 55-66DT LP, 55-66F, 55-66FDT, 55-66LP, 55-66S, 55-66SDT, 55-66V, 55-66VDT, 56-66S, 56-66SDT, 60-66, 60-66DT, 60-66F, 60-66FDT, 60-66LP, 60-66LPDT, 60-66S, 60-66SDT, 65-66, 65-66DT, 65-66S, 65-66SDT, 70-66, 70-66DT, 70-66F, 70-66FDT, 70-66LP, 70-66LPDT, 70-66S, 70-66SDT, 70-66V, 80-66, 80-66DT, 80-66F, 80-66S, 80-66SDT Serie: 75 55-75F, 55-75M, 55-75V, 60-75, 60-75M, 60-75V, 70-75M Serie: 76 45-76V, 55-76F, 55-76FDT, 55-76V, 55-76VDT, 60-76F, 60-76FDT, 70-76DT, 70-76F, 70-76LP, 70-76LPDT, 70-76V, 80-76DT, 80-76F Serie: 85 55-85CF, 55-85M, 55-85V, 72-85CM, 82-85M Serie: 86 50-86SVDT, 50-86V, 50-86VDT, 55-86F, 55-86FDT, 55-86SV, 55-86V, 55-86VDT, 60-86F, 60-86FDT, 60-86V, 60-86VDT, 62-86F, 62-86FDT, 70-86SV, 70-86SVDT, 70-86V, 70-86VDT, 72-86F, 72-86LP, 82-86DT, 82-86F, 82-86LP Serie: 88 55-88, 55-88DT, 65-88, 65-88DT, 70-88, 70-88DT, 80-88, 80-88DT Serie: 90 100-90, 100-90DT, 110-90, 110-90DT, 115-90, 115-90DT, 130-90, 130-90DT, 140-90, 140-90DT, 55-90, 55-90 DT, 60-90, 65-90, 65-90DT, 70-90, 70-90DT, 80-90, 80-90DT, 85-90, 85-90DT, 90-90, 90-90DT Serie: 93 60-93, 60-93DT, 65-93, 65-93DT, 72-93, 72-93DT, 82-93, 82-93DT, 88-93, 88-93DT Serie: 94 60-94, 60-94DT, 65-94, 65-94DT, 72-94, 72-94DT, 82-94, 82-94DT, 88-94, 88-94DT Serie: Classique 1000, 1000 Sup, 1000DT, 1000N, 1000S, 466, 466DT, 566, 640, 650, 666, 750, 766, 850, 880, 900 Serie: Someca SOM800</p>			

	<p>OEM Number 5179714</p> <p>Hidros number</p>	<p>Alternative Numbers 5094393 5169770 5179711 5179414</p> <p>Alternative Manufacturer 0510625362</p>	<p>Working volume</p> <p>Flange 36.5 mm – 4 bolt</p> <p>Shaft type 1:8 taper</p> <p>Rotation</p>	<p>Ports Plessey/Italian diamond</p> <p>Port Sizes Inlet: 19 mm Pressure: 14.2 mm</p> <p>Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm</p>
<p>Tractor Type</p>	<p>Serie: 56 60-56, 65-56, 65-56DT Serie: 66 45-66, 45-66DT, 45-66V, 50-66, 50-66DT, 50-66S, 60-66, 60-66DT, 65-66, 65-66DT, 70-66, 70-66DT, 70-66F, 70-66LP, 80-66, 80-66DT, 80-66F Serie: 76 55-76F, 55-76FDT, 55-76V, 55-76VDT, 60-76F, 60-76FDT, 70-76DT, 70-76F, 70-76LP, 70-76V, 80-76DT, 80-76F Serie: 86 55-86F, 55-86FDT, 55-86V, 55-86VDT, 60-86F, 60-86FDT, 60-86V, 60-86VDT, 70-86V, 72-86F, 72-86LP, 82-86DT, 82-86F, 82-86LP Serie: 88 70-88, 70-88DT, 80-88, 80-88DT Serie: 90 100-90, 100-90DT, 110-90, 110-90DT, 115-90, 115-90DT, 130-90, 130-90DT, 140-90, 140-90DT, 55-90, 55-90 DT, 60-90, 65-90, 65-90DT, 70-90, 70-90DT, 80-90, 80-90DT, 85-90, 85-90DT, 90-90, 90-90DT Serie: 93 60-93, 60-93DT, 65-93, 65-93DT, 72-93, 72-93DT, 82-93, 82-93DT, 88-93, 88-93DT Serie: 94 60-94, 65-94, 65-94DT, 72-94, 72-94DT, 82-94, 82-94DT, 88-94, 88-94DT Serie: Classique 1000, 1000 Sup, 1000DT, 1000N, 1000S, 466, 466DT, 566, 640, 650, 666, 750, 766, 850, 880, 900</p>			





	OEM Number 5129493 Hidros number	Alternative Numbers 5169041 517926 5179726 Alternative Manufacture	Working volume Flange 36.5 mm – 4 bolt Shaft type 1:8 taper Rotation	Ports Plessey/Italian diamond Port Sizes Inlet: 19 mm Pressure: 14.2 mm Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm
Tractor Type	Serie: L L60, L65, L75, L85, L95 Serie: M M100, M115, M135, M160 Serie: Winner F100Dal, F110, F115, F120, F130, F140			


	OEM Number 82991210 Hidros number	Alternative Numbers 5135147 5167405 5180267 A25XRP Alternative Manufacturer	Working volume Flange Shaft type Rotation	Ports DIN/4 Bolt Bosch Square Port Sizes Inlet: 19 mm Pressure: 14.2 mm Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm
Tractor Type	Serie: L L60, L75, L85 Serie: M M100 (D3394==>), M115 (D3394==>), M135 (D3394==>), M160 (D3394==>)			

	OEM Number 5180269 Hidros number	Alternative Numbers 5128862 5167403 1930250 98307212 C25XRP Alternative Manufacturer 0510525060	Working volume Flange Shaft type Rotation	Ports DIN/4 Bolt Bosch Square Port Sizes Inlet: 19 mm Pressure: 14.2 mm Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm
Tractor Type	Serie: 88 55-88, 55-88DT, 60-88, 60-88DT, 65-88, 65-88DT, 70-88, 70-88DT, 80-88, 80-88DT Serie: 90 100-90, 100-90DT, 110-90, 110-90DT, 55-90, 55-90 DT, 60-90, 65-90, 65-90DT, 70-90, 70-90DT, 80-90, 80-90DT, 85-90, 85-90DT, 90-90, 90-90DT Serie: 94 60-94, 65-94, 65-94DT, 72-94, 72-94DT, 82-94, 82-94DT, 88-94, 88-94DT			





	<p>OEM Number 5180271</p> <p>Hidros number</p>	<p>Alternative Numbers 5135887 5167392 A33XRP</p> <p>Alternative Manufacturer 0510525360</p>	<p>Working volume</p> <p>Flange</p> <p>Shaft type</p> <p>Rotation</p>	<p>Ports DIN/4 Bolt Bosch Square Port Sizes Inlet: 19 mm Pressure: 14.2 mm Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm</p>
<p>Tractor Type</p>	<p>Serie: L L60, L75, L85 Serie: M M100 (D3394==>), M115 (D3394==>), M135 (D3394==>), M160 (D3394==>) Serie: Winner F100Dal, F100Fino, F110, F120, F130 (D3394==>), F140 (D3394==>)</p>			


	<p>OEM Number 5180273</p> <p>Hidros number</p>	<p>Alternative Numbers 5135887 5167392 C33XRP</p> <p>Alternative Manufacturer 0510525059</p>	<p>Working volume</p> <p>Flange</p> <p>Shaft type</p> <p>Rotation</p>	<p>Ports DIN/4 Bolt Bosch Square Port Sizes Inlet: 19 mm Pressure: 14.2 mm Flange mount holes Inlet: 39.7 mm Pressure: 30.2 mm</p>
<p>Tractor Type</p>	<p>Serie: 90 100-90, 100-90DT, 110-90, 110-90DT, 115-90, 115-90DT, 130-90, 130-90DT, 140-90, 140-90DT, 160-90, 160-90DT, 180-90, 180-90DT, 65-90, 65-90DT, 70-90, 70-90DT, 80-90, 80-90DT, 85-90, 85-90DT, 90-90, 90-90DT Serie: 93 72-93, 72-93DT, 82-93, 82-93DT, 88-93, 88-93DT Serie: 94 72-94, 72-94DT, 82-94, 82-94DT, 88-94, 88-94DT</p>			

	<p>OEM Number 1930398</p> <p>Hidros number</p>	<p>Alternative Numbers 1901326 8282449 A43X Use Landini 3549614</p> <p>Alternative Manufacturer</p>	<p>Working volume</p> <p>Flange</p> <p>Shaft type</p> <p>Rotation</p>	<p>Ports Plessey/Italian diamond Port Sizes Inlet: 19 mm Pressure: 19 mm Flange mount holes Inlet: 40 mm Pressure: 40 mm</p>
<p>Tractor Type</p>	<p>Serie: Classique 1000 (951737 ->), 1000 Sup (951737 ->), 1000DT (951737 ->), 1000N (951737 ->), 1000S (951737 ->), 900 (951737 ->)</p>			



	<p>OEM Number 5164616</p> <p>Hidros number</p>	<p>Alternative Numbers</p> <p>5143326 5140382 5143320</p> <p>Alternative Manufacturer OSPC 100 ON</p>	<p>Working volume</p> <p>Flange</p> <p>Shaft type</p> <p>Rotation</p>	<p>Ports</p> <p>Port Sizes Inlet: Pressure:</p> <p>Flange mount holes Inlet: Pressure:</p>
<p><u>Tractor Type</u></p>	<p>Serie: 56 55-56, 55-56DT, 65-56, 65-56DT, 70-56DT, 70-56L Serie: 88 55-88, 55-88DT, 60-88, 60-88DT, 65-88, 65-88DT, 70-88, 70-88DT, 80-88, 80-88DT Serie: 90 100-90, 100-90DT, 110-90, 110-90DT, 65-90, 65-90DT, 70-90, 70-90DT, 80-90, 80-90DT, 90-90, 90-90DT Serie: 93 60-93, 60-93DT, 65-93, 65-93DT Serie: 94 60-94, 65-94, 65-94DT</p>			

	<p>OEM Number 5165251</p> <p>Hidros number</p>	<p>Alternative Numbers</p> <p>5140383 5126023 5165231</p> <p>Alternative Manufacturer OSPC 160 ON</p>	<p>Working volume</p> <p>Flange</p> <p>Shaft type</p> <p>Rotation</p>	<p>Ports</p> <p>Port Sizes Inlet: Pressure:</p> <p>Flange mount holes Inlet: Pressure:</p>
<p><u>Tractor Type</u></p>	<p>Serie: 90 100-90, 100-90DT, 110-90, 110-90DT, 115-90, 115-90DT, 130-90, 130-90DT, 140-90, 140-90DT, 160-90, 160-90DT, 180-90, 180-90DT, 55-90, 55-90 DT, 60-90, 60-90DT, 70-90, 70-90DT, 80-90, 80-90DT, 85-90, 85-90DT, 90-90, 90-90DT Serie: Winner F100Dal, F100Fino, F110, F120, F130</p>			

	<p>OEM Number 5165251</p> <p>Hidros number</p>	<p>Alternative Numbers</p> <p>5140383 5126023 5165231</p> <p>Alternative Manufacturer OSPC 160 ON</p>	<p>Working volume</p> <p>Flange</p> <p>Shaft type</p> <p>Rotation</p>	<p>Ports</p> <p>Port Sizes Inlet: Pressure:</p> <p>Flange mount holes Inlet: Pressure:</p>
<p><u>Tractor Type</u></p>				